

2

ГЛУБОКОРЫХЛИТЕЛЬ



1

ПОСЕВНЫЕ МАШИНЫ

2

ГЛУБОКОРЫХЛИТЕЛЬ

3

КУЛЬТИВАТОРЫ

4

ДИСКОВАЯ БОРОНА


5

ПЛУГ


2.01

Глубокорыхлитель

Рыхлитель 800



Безотвальная
обработка сохраняет
структуру почвы.



800

арт.	— —	Grs.		A	B	C	M
15010-A D CA	15	23.200	40	300	820	80	15015T
15010-A I CA	15	23.200	40	300	820	80	15015T
15010-B D CA	15	23.200	40	300	820	80	15015T
15010-B I CA	15	23.200	40	300	820	80	15015T
15008-A D CA	8	5.050	200	295	295	80	15015T
15008-A I CA	8	5.050	200	295	295	80	15015T
15008-B D CA	8	7.830	130	295	465	80	15015T
15008-B I CA	8	7.830	130	295	465	80	15015T
15009	40x60	7.200	135	40	580	80	15015-T
15009-MA	40x50	3.800	250	60	314	80	15009-KIT
15009-PA		1.850	575	67	147	58	15009-KIT
15009-PC		1.850	500	67	147	58	15009-KIT
15009-KIT		65	5.000				
15015-T		300	2.000				

15009: Обратный.

PC: Сменный наконечник с поверхностным защитным слоем (62 HRC).

15015-T состоит: 2 болта 1199B1440AESP, 2 штифта 16x60 мм, 2 штифта 10x60 мм и 1 втулка 30 мм.

15010-A



15008-A



15008-B




15009



15009 MA - PA



Рыхлитель 600



Безотвальная
обработка сохраняет
структуру почвы.



600

арт.		Grs.		A	B	C	M
15010-600 A D CA	12	8.630	100	160	600	85	15009-600-KIT
15010-600 A I CA	12	8.630	100	160	600	85	15009-600-KIT
15008-600 A D CA	8	2.900	300	230	200	85	15009-600-KIT
15008-600 A I CA	8	2.900	300	230	200	85	15009-600-KIT
15009-600-KIT		250	2.000				
15009-600 A	40x50	5.000	170	40	532	85	15009-600-KIT

15009: Обратный.

Комплект 15009-600 состоит: 2 болта 1199B1440, 2 штифта 14x50 мм, 2 штифта 5x50 мм и 1 втулка 30 мм.

15010-600



15008-600



15009-600 A



15009-600 KIT

